	Application No.	A
Notice of Allowability	Application No.	Applicant(s)
	10/634,256	BAUCUM ET AL.
	Examiner	Art Unit
	Michael Rutland-Wallis	2836
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>11/24/2006</u> .		
2. The allowed claim(s) is/are <u>9-12, 14-15 and 21-22</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
•		
	•	
Attachment(s)	5 Disting of Informal 5	N-6
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	
3. Information Disclosure Statements (PTO/SB/08),	7. 🗌 Examiner's Amendr	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement	ent of Reasons for Allowance
5. Storograd Material	9.	

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/24/2006 has been entered.

Response to Arguments

Applicant's arguments and amendments, filed 11/24/2006, with respect to claims 9-12, 14-15 and 21-22 have been fully considered and are persuasive. Therefore the previous rejection has been withdrawn.

Allowable Subject Matter

Claims 9-12, 14-15 and 21-22 are allowed. The following is an examiner's statement of reasons for allowance: Flegel teaches a method of utilizing a temporary power connector having a cord (item 44) with at least two electrically insulated

Art Unit: 2836

conductors (see conducting wires see for example figure 3) therein, a first end and an opposing second end, a first male plug (item 48) on the first end, and a second male plug (item 46) on the second end. Flegel teaches the system is designed to supply power to certain circuits of the building in the event of a power disruption (col. 1 lines 5-25), Flegel does not describe the step of switching or opening the breakers, however one of ordinary skill in the art would understand the method step of switching the appropriate breaker obvious in order to supply only desired or selected certain circuits with power. Flegel does not teach the connection of backup supply via outlets as claimed in amended claim 9 at least these further limitations to claim 9 are not taught or rendered obvious by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Rutland-Wallis whose telephone number is 571-272-5921. The examiner can normally be reached on Monday-Thursday 7:30AM-6:00PM EST.

Art Unit: 2836

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynn D. Feild can be reached on 571-272-2092. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MRW

BHIANZSIRCUS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800